#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

SUMIYA et al

Atty. Ref.:

461-45

Serial No.

Unknown

Group:

Filed:

**December 28, 2001** 

Examiner:

For:

DIELECTRIC CERAMIC MATERIAL AND METHOD FOR

PRODUCING THE SAME

December 28, 2001

Assistant Commissioner for Patents Washington, DC 20231

Sir:

### PRELIMINARY AMENDMENT

Prior to calculation of the filing fee and in order to place the above identified application in better condition for examination, please amend the claims as follows:

# IN THE CLAIMS

Please substitute the following amended claims for corresponding claims previously presented. A copy of the amended claims showing current revisions is attached.

6. (Amended) The method for producing the low-temperature sintered dielectric ceramic material according to claim 4, wherein the quantity of lead included in the stock mixture is set to the required quantity minus the quantity supplied from the lead oxide included in the auxiliary oxide, in the process of preparing the stock mixture to make the dielectric ceramic material.

Add the following new claim:

11. (New) The method for producing the low-temperature sintered dielectric ceramic material according to claim 5, wherein the quantity of lead included in the stock mixture is set to the required quantity minus the quantity supplied from the lead oxide

included in the auxiliary oxide, in the process of preparing the stock mixture to make the dielectric ceramic material.

## **REMARKS**

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "Version with markings to show changes made."

The above amendments are made to place the claims in a more traditional format.

Respectfully submitted,

**NIXON & VANDERHYE P.C.** 

By:

Reg. No. 25,640

LSN:Imy

1100 North Glebe Road, 8th Floor Arlington, VA 22201-4714

Telephone: (703) 816-4000 Facsimile: (703) 816-4100

# **VERSION WITH MARKINGS TO SHOW CHANGES MADE**

6. (Amended) The method for producing the low-temperature sintered dielectric ceramic material according to claim 4 [or 5], wherein the quantity of lead included in the stock mixture is set to the required quantity minus the quantity supplied from the lead oxide included in the auxiliary oxide, in the process of preparing the stock mixture to make the dielectric ceramic material.